Incident Type Count Report

Date Range: From 10/1/2022 To 10/31/2022

Selected Station(s): All

Vpe Description	<u>Count</u>	
Station:		
Incident Type is blanks	76	25.00%
Total - incident type left blank	76	100.00%
Total for Station	76	25.00%
Station: 75		
100 - Fire, other	1	0.33%
111 - Building fire	1	0.33%
131 - Passenger vehicle fire	1	0.33%
Total - Fires	3	2.97%
321 - EMS call, excluding vehicle accident with injury	59	19.41%
322 - Vehicle accident with injuries	6	1.97%
323 - Motor vehicle/pedestrian accident (MV Ped)	1	0.33%
Total - Rescue & Emergency Medical Service Incidents	66	65.35%
400 - Hazardous condition, other	2	0.66%
412 - Gas leak (natural gas or LPG)	1	0.33%
Total - Hazardous Conditions (No fire)	3	2.97%
542 - Animal rescue	1	0.33%
550 - Public service assistance, other	1	0.33%
552 - Police matter	1	0.33%
554 - Assist invalid	8	2.63%
Total - Service Call	11	10.89%
611 - Dispatched & cancelled en route	13	4.28%
651 - Smoke scare, odor of smoke	1	0.33%
6610 - EMS call cancelled	1	0.33%
Total - Good Intent Call	15	14.85%
700 - False alarm or false call, other	2	0.66%
743 - Smoke detector activation, no fire - unintentional	1	0.33%
Total - Fals Alarm & False Call	3	2.97%
Total for Station	101	33.22%
Station: 76		
115 - Incinerator overload or malfunction, fire confined	1	0.33%
118 - Trash or rubbish fire, contained	1	0.33%
131 - Passenger vehicle fire	3	0.99%
Total - Fires	5	3.97%
321 - EMS call, excluding vehicle accident with injury	71	23.36%
322 - Vehicle accident with injuries	4	1.32%
324 - Motor vehicle accident with no injuries	1	0.33%
Total - Rescue & Emergency Medical Service Incidents	76	60.32%
400 - Hazardous condition, other	1	0.33%
4630 - Vehicle accident, Non Injury	1	0.33%

Incident Type Description	<u>Count</u>	
Station; 76 - (Continued)		
Total - Hazardous Conditions (No fire)	2	1.59%
511 - Lock-out	1	0.33%
5410 - Snake problem	1	0.33%
550 - Public service assistance, other	1	0.33%
553 - Public service	1	0.33%
554 - Assist invalid	5	1.64%
Total - Service Call	9	7.14%
611 - Dispatched & cancelled en route	17	5.59%
621 - Wrong location	1	0.33%
651 - Smoke scare, odor of smoke	5	1.64%
Total - Good Intent Call	23	18.25%
700 - False alarm or false call, other	2	0.66%
735 - Alarm system sounded due to malfunction	1	0.33%
736 - CO detector activation due to malfunction	1	0.33%
740 - Unintentional transmission of alarm, other	4	1.32%
743 - Smoke detector activation, no fire - unintentional	2	0.66%
744 - Detector activation, no fire - unintentional	1	0.33%
Total - Fals Alarm & False Call	11	8.73%
Total for Station	126	41.45%
Station: MA		
112 - Fires in structures other than in a building	1	0.33%
Total - Fires	1	100.00%
Total for Station	1	0.33%
-	304	100.00%